

Subject Index

- Abnormalities**
– immunological, in sera of IgA-deficient blood donors 203
- ABO system**
– A₁ weak B phenotype in a Romanian family 459
– incompatibility, Sephadex A-50 method for predicting 371
- ADA⁷, a new allele** 217
- AHF activity**
– determination in cryoprecipitates 228
- Allele**
– new, ADA⁷ 217
- Antibodies**
– anti-HB_e, sensitive test 77
– anti-IB, another example 231
– anti-Ina, antithetical to anti-Salis 73
– anti-K18, defining an antigen related to the Kell system 124
– anti-Mia, studies 311
– anti-Salis, antithetical to anti-Ina 73
– cytotoxic anti-HL-A7 and -A5 related, haemagglutinins 23
– immune anti-A, B, detection using Groupamatic system 464
– natural anti-A, in serum of *Salmo trutta* 286
– red cell, automated (AutoAnalyzer) detection 248
– to hepatitis B_s antigen in hepatitis patients, detection by radioimmunoassay Ausria I 125 330
- Anticomplementary activity of immunoglobulin G** 101
- Antigen/antibody**
– hepatitis B, new solid phase radioimmunoassay detecting 1
– –, immune hemagglutination method detecting 157
– Mi III complex and anti-Mia 311
- Antigenic activity**
– ABH, I, Ss, separation from MN-active erythrocyte sialoglycoprotein 378
- Antigens**
– HBsAG, reversed passive haemagglutination test 319
– hepatitis B (Australia), association with platelets 411
– –, surface, false reactions in gel precipitin tests 456
– HL-A, differences in immunogenicity 433
– K18, related to the Kell system 124
– red cell, association with HL-A 23
– Rh, loss of activity following action of phospholipase A₂ on red cell stroma 184
– staphylococcal, causing false reactions in tests for Hepatitis-B surface antigen 456
– Yka (York), relationship to Csa (Cost) 145
- Antisera**
– cytotoxic anti-HL-A7 and -A5 related, haemagglutinins 23
– monospecific anti-HL-A, cross-reactivity 418
- ATP**
– effect of blood rejuvenation 306
- A_x phenotype, transmitted by A₂B parent** 390
- Australia antigen**
– ‘ad’ and ‘ay’ subtypes 269
- AutoAnalyzer for red cell antibody detection** 248
- B blood group**
– new variant (letters to Editor) 155, 234

- Blood**
- CPD-adenine stored, clinical evaluation 81
 - -, laboratory studies 90
 - optimal use (VI), preparation of prothrombin complex 177
- Blood cell processor**
- IBM 2991, experiments on preparation of blood components 352
- Blood components**
- preparation using IBM 2991 blood cell processor 352
- Blood donors**
- immunological abnormalities in sera of IgA-deficient 203
 - selective IgA deficiency 192
- Blood group substances**
- Lewisc, inheritance demonstrated by Bombay, Le(a-b-c-) saliva 280
 - salivary, biochemical and immunological studies 128
- Bombay, Le(a-b-c-) saliva**
- demonstrating inheritance of Lewisc blood group substances 280
- Cephalexin, causing positive Coombs test 59**
- Chinese**
- MNSs and Miltenberger frequencies 394
- Cis AB**
- phenotypes, biochemical, serological, family studies 292
 - sera, action on group O erythrocytes in presence of UDP-D-galactose 51
- Citrate-phosphate-dextrose-adenine blood**
- clinical evaluation 81
 - laboratory studies 90
- CLB-RIA**
- new solid phase radioimmunoassay 1
- Coombs test**
- platelet indirect radioactive, for Pla₁ grouping 253
 - positive direct, caused by Cephalexin administration 59
- Cotton wool filtration**
- removal of leukocytes from blood suspensions 15
- Cross reactivity**
- of monospecific anti-HL-A antisera 418
- Cryoprecipitates**
- determination of AHF activity 228
- Deficiency**
- selective IgA, in blood donors 192
- DEHP**
- in plasma fractions prepared by low temperature fractionation 242
- Dextran**
- effective oncotic pressure 237
- Direct antiglobulin test**
- positive, caused by administration of Cephalexin 59
- 2, 3-DPG**
- effect of blood rejuvenation 306
- Electrophoresis**
- erythrocyte, in study of MN variants 440
- Erythrocyte**
- sialoglycoprotein, MN-active, separation of ABH, I, Ss antigenic activity 378
 - suspensions, removal of leukocytes by cotton wool filtration 15
- Erythrocytes**
- group O, action of group B_m or cis AB sera 51
 - effect of rejuvenation on mechanical resistance 306
- Family studies**
- cis AB 292
 - Gregory 301
- Fractionation**
- low temperature ethanol, DEHP content of plasma fractions 242
- Frequencies**
- MNSs and Miltenberger, in Chinese 394

- Gel precipitin tests
 – for hepatitis B surface antigen, false reactions 456
- Gerbich (Ge) antigen
 – demonstration on neutrophil leukocytes 69
- Gregory blood group
 – family study 301
- Group Bm sera
 – action on group O erythrocytes in presence of UPD-D-galactose 51
- Groupamatic system
 – detection of immune anti-A, B allo-antibodies 464
- Haemagglutination
 – immune, method to detect hepatitis B antigen/antibody 157
 – quantitative, in study of MN variants 440
- Haemagglutinins
 – anti-H, in *Pleurotus ostreatus*, *spodoleucus* extracts 221
 – in cytotoxic anti-HL-A7 and -A5 related sera 23
- HBs Ag
 – antibody detection in hepatitis patients using Ausria I 125 330
 – new (reversed passive haemagglutination) test 319
- Hepatitis B
 – antibody against core antigen (anti-HB_c), sensitive test 77
 – false reactions in gel precipitin tests for surface antigen 456
 – immune haemagglutination for detection of antigen/antibody 157
 – new solid phase radioimmunoassay for detection of antigen/antibody 1
- Hemoglobin-oxygen affinity
 – effects of shifts during hypoxia 401
- HL-A
 – association with red cell antigens 23
- Hypoxia
 – effects of shifts in hemoglobin-oxygen affinity 401
- IBM 2991 blood cell processor
 – experimental preparation of blood components 352
- IgA deficiency
 – and immunological abnormalities in blood donors 203
 – selective, in blood donors 192
- IgG
 – anticomplementary activity 101
- Immune hemagglutination
 – method to detect hepatitis B antigen/antibody 157
- Immunogenicity
 – differences in the HL-A antigens 433
- Incompatibility
 – ABO, prediction using Sephadex A-50 371
- Inheritance
 – non-Mendelian, of Lewisic blood group substance 280
- Kell blood group antigen
 – confirmation of K¹¹ and K¹⁷ as alleles 450
 – new antibody (anti-K18) defining a related high frequency antigen 124
- Large scale preparation of prothrombin complex 177
- Leukocytes
 – neutrophil, demonstration of Ge antigen 69
 – removal from blood suspensions by cotton wool filtration 15
- Lewisic blood group substance
 – inheritance, demonstrated by Bombay Le(a-b-c-) saliva 280
- Lutheran blood group system
 – recessive Lu(a-b-) 66
- Membrane, red cell
 – sialic acid content in study of MN variants 440
- Mi III complex 311, 394
- MNSs and Miltenberger frequencies in Chinese 394

- MN-active erythrocyte sialoglycoprotein
 – separation of ABH, I, Ss antigenic activity 378
 MN variants 440
 Molecular basis of Tn-polyagglutinability 36
- Negroes
 – South African, S-s-U phenotype 214
 Neutrophils
 – demonstration of Ge antigen 69
- Oncotic pressure of dextran 237
- Phenotype
 – A_x , transmitted by A_2B parent 390
 – A_1 weak B, in a Romanian family 459
 – cis AB, biochemical, serological, family studies 292
 – recessive Lu(a-b-) 66
 – S-s-U, in South African negroes 214
 Phosphoglucomutase 3
 – population genetics, abnormal phenotypes 363
 Phospholipase
 – A_2 , action on red cell stroma, loss of Rh antigen activity 184
 Play grouping
 – PIRC test 253
 Plasma fractions
 – prepared by low temperature fractionation, DEHP content 242
 Platelets
 – hepatitis B (Australia) antigen associated with 411
Pleucotus ostreatus, spodoleucus extracts
 – specificity 221
 Polyagglutinability
 – Tn, molecular basis 36
 Population genetics of phosphoglucomutase 3 363
 Pressure, oncotic
 – of dextran 237
 Prothrombin complex
 – modified method for large-scale preparation 177
- Radioimmunoassay
 – new solid phase, for detection of hepatitis B antigen/antibody 1
 Rejuvenation, blood
 – effect on 2,3-DPG, ATP, mechanical resistance of erythrocytes 306
 Rh antigen
 – loss of activity following action of phospholipase A_2 on red cell stroma 184
 S-s-U phenotype in South African negroes 214
 Saliva
 – blood group substances, biochemical and immunological studies 128
 – Bombay Le(a-b-c-), demonstrating inheritance of Lewis blood group substances 280
Salmo trutta
 – anti-A agglutinins in serum 286
 Sialoglycoprotein, erythrocyte
 – MN-active, separation of ABH, I, Ss antigenic activity 378
 Staphylococcal antigen
 – causing false reactions in tests for hepatitis B surface antigen 456
 Stroma, red cell
 – loss of Rh antigen activity following action of phospholipase A_2 184
- Tn-polyagglutinability
 – molecular basis 36
 Transfer factor preparations
 – physico-chemical, biological properties 338
- UDP-D-galactose
 – action of group Bm or cis AB sera on group O red cells in presence of 51
- Variants, MN 440
- Whole blood
 – removal of leukocytes by cotton wool filtration 15
- Yka (York), new antigen 145